

carboncalcpcf.com

Product Carbon Footprint Analysis

Product: fdgytlozdo (EcoSmart Device v2.0)

Standard: GHG Protocol | **Boundary:** Cradle-to-Grave

Total PCF: 19.30 kg CO₂e / unit

Total Footprint

19.30 kg CO2e

Per 1.0 unit

Top Emission Hotspot

Use Phase

~61% of total footprint

Primary Emission Scope

Scope 3


Across value chain

Top Material Impact

Aluminum Casing

3.75 kg CO2e

Lifecycle Stage Breakdown



*Bar widths are scaled relative to the largest emission stage (Use Phase).

Key Insights & Hotspots

Use Phase Dominance: The product's operational lifespan contributes approximately 61% of the total carbon footprint, highlighting energy efficiency as a critical focus area.

Material Impact: Material acquisition, particularly the aluminum casing, accounts for a significant 38% of emissions, suggesting opportunities for sustainable sourcing.

Circular Economy Success: End-of-Life management results in a net carbon removal (-0.96 kg CO2e) due to high recyclability and established take-back programs, showcasing effective circular strategies.

Recommendations for Carbon Reduction

1. **Optimize Use Phase Efficiency:** Invest in R&D to further reduce the EcoSmart Device v2.0's energy consumption during its operational lifespan (e.g., energy-efficient components, advanced power management).
2. **Enhance Renewable Energy Sourcing for Production:** Increase the percentage of renewable energy used in the China production facility, potentially through direct power purchase agreements or on-site generation.
3. **Sustainable Material Sourcing:** Explore alternative, lower-carbon materials for high-impact components like aluminum casing, circuit board, and batteries, promoting recycled content.
4. **Circular Economy Expansion:** Continue to invest in and expand take-back and recycling programs globally to maximize material recovery and further enhance positive end-of-life impact.
5. **Logistics Optimization:** Further optimize transport routes, modes (e.g., shifting to rail where feasible within Europe), and load factors to reduce transport-related emissions.